
Removal Pressure Gauge





Adequate pressure and uniform flows delivered to the plants:

Better yield (quantity + quality) > Higher revenue

Less risk of clogging of the emitters Higher life time of the pipes

Water and fertilizers saving



Low cost

need less number of gauges

Long life

removable means protected, plastic resists water and do not rust.

Easy to install and maintain easy to fix on all kind of pipes

Flexible number of measuring spots





Removal Pressure Gauge

How to check if the operation is correct?

Emitters should be operated at a specific pressure,
determined by the manufacturer. To be sure that this
adequate pressure is respected, it is important to measure
the pressure with pressure gauges on the different points
of the irrigation network (from the water source to the emitter).

Be sure that your pressure gauge is made of glycerine.

For a easier reading choose it with a wide measurement range



How to use the pressure gauge?



1. Fix the plastic basis on the pipe



2. Fix the plastic needle on the gauge




3. Interlogg the needle and the gauge on the basis that is fixed on the pipe



4. Read the pressure indicated by the gauge

If your network is correctly designed, high headlosses mean that something wrong is happening



Good operation* = High pressure (=1 bar at the emitter)

A. If difference before/after filter and fertigation is < 0,3 bar.


Filter Type	Clean Filter (bar)
Sand (media) Filter) 0,2 - 0,3 bar
Disc Filter) 0,1 - 0,2 bar
Screen Filter	0,2 - 0,3 bar

If pressure before filter and fertigation is ≥ 2,5 bar

B. If pressure at the begining of blocks is ≥ 1 bar

C. If pressure at the end of the laterals is min 0,8 bar!!!

Measure pressure successively in A, B and C. There should not be too much pressure differences.



Wrong operation* = Low pressure (<1 bar at the emitter)

A. If difference before/after filter and fertigation is > 0,5 bar.

Clean the filter and check fertigation device

If pressure before filter and fertigation is ≤ 2 bar.

Check water source

B. If pressure at the begining of blocks is low <1 bar
Leakage. Check the network and valves
Too many block maybe opened at the same time

C. If pressure at the end of the laterals is < 0,8 bar Lines may need to be flushed

^{*} In most cases in Jordan, depending on the emitter and systems characteristics.



